1 (/) / Products (/products/) / Industrial Ethernet Switches (/products/switches/industrial-ethernet-switch.shtml)

/ Managed Industrial Ethernet Switches (/products/switches/industrial-managed-ethernet-switch.shtml)

/ IDS-409C – Managed 9 port DIN Rail Switch / 🚔 Print 🕎 PDF (http://www.printfriendly.com)

IDS-409C Managed Industrial Gigabit Switch with Combo Ports

5 x 10/100/1000Base-T and 4 x 10/100/1000Base-T or 100/1000Base-X SFP Ports



(/productimages/ids-x09c-xlg.jpg)

- 5 port 10/100/1000Base-T (RJ45) ports for Gigabit and Fast Ethernet devices
- 4 flexible dual purpose Combo ports: 100/1000Base-X SFP fiber or 10/100/1000Base-T (RJ45)
- · IP Manageability, VLAN and resiliency management
- Digital inputs for generation of alerts
- · Compact, corrosion resistant case attaches to a standard DIN Rail
- Redundant dual power input 12/24/48 VDC, 24 VAC
- · Out-of-band management via RJ45 or USB serial ports
- Programmable Controller safety and Hazardous Location Certification
- -40 to 75C industrial operating temperature (XT Models)

Get	Get a quote (/howtobuy/getaquote.aspx)							
Overview	Features	Hardware Specs	Application Diagrams					
Documentation (/products/documentation.asp?a=3&i=1257) Ordering Details								

The IDS-409C is a 9 port Managed Ethernet Switch that can operate in industrial environments providing advanced performance and enabling real-time deterministic network operation. Five 10/100/1000-Base-T Ethernet ports are available for networking Gigabit and Fast Ethernet devices. The other four ports can be configured to use either 100/1000Base-X SFP fiber or 10/100/1000Base-T. This flexibility allows for easy adaptation to network growth and changes.

Data corruption over copper-based Ethernet links can be caused by **high levels of electromagnetic interference (EMI)** in environments like industrial plants. Utilizing fiber is the solution. Data transmitted over fiber optic cable is completely immune to EMI noise ensuring optimal data transmission across the plant floor.

Perle Industrial-grade Ethernet Switches are designed to stand up to extreme temperatures, surges, vibrations, and shocks found in industrial automation, government, military, oil and gas, mining and outdoor applications.

Product Question?

The simple **Plug and Play** installation available in Perle's **Fast Setup feature** gets your Ethernet devices networked immediately. **CCNA** (Cisco Certified Network Associate) and **CCNP** (Cisco Certified Network Professional) trained engineers will appreciate the familiar **Command Line Interface** (**CLI**) via in-band Telnet or the out-band serial console port.

An IPv6 address can be used to manage the IDS-205G which also supports a comprehensive set of https://www.perle.com/products/switches/ids-409c-industrial-managed-gigabit-switch.shtml

management functions, such as P-Ring (/supportfiles/p-ring.shtml), management VLAN, QoS, RMON, N:1 port mirroring and local alert log.

The IDS-409C, which comes in a variety of models, are **rugged fan-less switches** that are hardened to provide superior reliability **in -10 to 60°C**, **or** harsh extended operating temperatures **from -40 to 75°C**. Every **component** on every industrial (XT) model has been **designed and tested** to handle operating temperatures between -40 and 75C.

All Perle Industrial Ethernet Switches have a corrosion resistance aluminum case and dual redundant power input with reverse polarity and overload protection. In addition, all units only use **high-end components** from the **leading chip manufacturers** to ensure the highest level of **durability and reliability**.

Perle has been **designing industrial hardware** for **over 35 years** and have used this expertise to design the **toughest Ethernet switches on the market** that will keep your system running for years to come.

IDS-409C Industrial Managed DIN Rail Switch Features

Simple deployment	Zero-touch discovery using Dynamic Host Control Protocol (DHCP), Perle's "Fast Setup" for first time installation, provides simple deployment in Ethernet environments				
Resiliency	 STP and RSTP protocols for fast recovery. Perle's P-Ring protocol (/supportfiles/p-ring.shtml) for fast convergence in ring topologies 				
Manageability	 Web Device Manager, Telnet, SNMP and Perle's PerleView (/products/perleview.shtml) NMS for centralized management In-band management via RJ45 or USB serial ports Use an IPv4 or IPv6 address Removable MicroSD flash for configuration files and firmware backup and restoration 				
Rugged design for harsh environments	 Corrosion resistant case Programmable Controller Safety certified Certified for hazardous locations Extended industrial temperature models 				
Reliable operation	 Fan-less, no moving parts Dual power input. Connect to separate power sources for redundancy. Reverse polarity protection Overload current protection Handles vibration and shock conditions found in industrial environments 				
Real-time Ethernet performance	 Fast wire-speed, store and forward switching Auto-sensing for speed and duplex Auto-mdi/mdix-crossover works with straight and crossover cables 				

A Back to top

Contact Us Product or Reseller Information

Email (/howtobuy/)

Phone your local representative (/howtobuy/distributors.asp)

Find a Perle Worldwide Sales Office (/company/salesinfo.shtml)

Products Serial to Ethernet (/products/terminal-server.shtml) Fiber Media Converters (/products/media-converter.shtml) Ethernet Extenders (/products/ethernet-extenders.shtml) DIN Rail Switches (/products/industrial-ethernet-switch.shtml) DIN Rail Power Supplies (/products/industrial-din-rail-power-supplies.shtml) Applications Demos (/demo/) Technical Notes (/applications solutions/technical notes.aspx) Application Notes (/applications solutions/application notes.aspx) Case Studies (/applications solutions/case studies.aspx) User Stories (/applications solutions/) How to Buy Get a Quote (/howtobuy/getaquote.aspx) Worldwide Distributors (/howtobuy/distributors.asp) USA Online Store (http://estore.perle.com/) UK Online Store (http://estoreuk.perle.com/) European Online Store (http://estoreeu.perle.com/) About Perle Company (/company/) Certifications and Conformity (/company/certifications.shtml) Environmental Policy (/company/environment.shtml) News & Events (/news events/news.shtml) For Technical Support Email (/support services/support request.shtml#form) Phone your local Perle Technical Support (/support services/support request.shtml) PoE & PoE+ Injectors (/products/poe-injectors/perle-poe-injectors.shtml) SFP & XFP Optical Transceivers (/products/sfp-optical-transceiver.shtml) Remote Power Switches (/products/remote-power-switch.shtml) PCI Cards (/products/multiport-serial-card.shtml) White Papers (/applications solutions/white papers.aspx) Specializ ELECTRASE Products by Perle Follow Perle • (https://www.facebook.com/perle) (https://twitter.com/perlesystemsinc)

•

(https://www.linkedin.com/company/perle-systems)

(https://www.perle.com/articles/rss.xml)

Site Map (/sitemap.shtml) Legal Information (/legal.shtml) Privacy Policy (/privacy.shtml)

•

Copyright © 1996 - 2016 Perle. All Rights Reserved

Contact Us	(/company	y/contactus.shtm	1D

Products (/products/)

Applications (/applications_solutions/)

How to Buy (/howtobuy/)

Support (/support_services/)

About Perle (/company/)

Follow Perle

(https://www.facebo(dittps://www

•

systems)

Copyright © 1996 - 2015 Perle. All Rights Reserved