Products (/products/) > Network Access (/products/network-access/) > T1/E1/Sync. Serial Network Termination (/products/networkaccess/#19) > T1/E1/Sync. Serial Converters & Bridges (/products/network-access/#19) > OnSite 2701A

View Printable (/products/product_detail.asp?id=543&v=print)



🕲n Site

The Patton Model 2701A/I both terminates T1/E1 and Fractional T1/E1 services and provides the conversion of T1/E1 to 10/100BaseTX Ethernet.

Overview

The OnSite[™] Model 2701A/I T1/E1 to Ethernet Bridge is the ideal solution for connecting any small to medium enterprise or remote office to an IP/Internet network using a standard T1/E1 interface.

The Model 2701A/I terminates T1 & E1 services for all n x kbps to 2.048 Mbps rates for simple connection to a router. Flexible clocking modes, AMI/HDB3 & AMI/B8ZS coding, V.52/V.54 diagnostics and more make the 2701A/I on of the most versatile NTU's available.


The Model 2701A/I comes with an auto-sensing full-duplex 10/100Base-T Ethernet port, cross-over switch, and internal power supply. The Model 2701A/I is equipped with an integrated T1/E1 CSU/DSU for connection to full and fractional T1/E1 services.

AC or DC power options make installing the Model 2701 into your network infrastructure a snap.

Features

- Connect Legacy T1/E1 to Ethernet—Simple conversion of E1 or Fractional E1 to bridged to Ethernet. No configuration required.
- Supports 75 or 120-ohm E1 Lines—Both BNC and RJ-48C connectors are provided so there is no requirement for external conversions such as a balun
- Eliminate Routers—Bridge Ethernet across the WAN using industry standard PPP/BCP
- **10/100 Ethernet with MDI-X**—Built-In communication crossover switch eliminates the confusion of straight through or cross over Ethernet cables.
- **Power it Anywhere**—Universal input AC (100-240V) and DC (-48V) power supply options
- **Designed and Manufactured in the USA**—Top notch quality and reliability

Applications



Specifications

T1/E1 Interface	 1 x 120-Ohm RJ48C (RJ45) connection over twisted pair 1 x 75-Ohm BNC connection over coax Line Rate 1.544 Mbps (T1); 2.048Mbps (E1) DSX-1 levels for connection to local T1/E1 device (PBX) Line Coding AMI/B8ZS (T1); AMI/HDB3(E1) ESF coding and framing (T1)
Ethernet Interface	 1 x 10/100 Auto-Sensing Built-in MDI-X cross-over switch IEEE 802.1d transparent learning bridge up to 1,024 addresses
LED	 Power E1/T1 Link E1/T1 Frame E1/T1 TD and RD Eth Link Eth 100M Eth TX and RX
Management Interface	 1 x RS-232/EIA-561 (RJ45) Telnet VT-100 CLI Web/HTTP SNMP
Compliance	 FCC Part 15A CE Mark
Temperature	• 0 to 50°C (standard)
Ship	ping
	 Dimensions: 16 x 11 x 5 in. (40 x 28 x 13 cm) Weight 6 lbs (2.7 kg)
Boxe	ed
Physical	• Weight: 2.25 lbs (1.0 kg)
Unit	
	 Dimensions: 7.3 x 6.6 x 1.62 in. (18.5 x 16.8 x 4.1 cm) Weight 0.8 lbs (0.36 kg)
Power	• External AC; 100–240 VAC or DC (-48 VDC)

Ordering

0		
# Model #	Description	Availability
1 2701A/I/E48	T1/E1 to Ethernet NTU, RJ45/BNC WAN Interface, External 48VDC power supply	End of Life-Notice
2 2701A/I/EUI	T1/E1 to Ethernet NTU, RJ45/BNC WAN Interface, External 100-240VAC power supply	General Availability
+ Accessories	6	

Item Number Item Description

SVC-SmartCare-BH (/support/support.asp) Premium Support for Business Hours

Price

Contact us (/howtobuy/) for availability and pricing. SVC-SmartCare-24/7 (/support/support.asp) Premium Support, 24 x 7 Coverage

SVC-SmartAssist-BH (/support/supportprofessional.asp)

SVC-SmartAssist-AH (/support/support- After H professional.asp)

After Hours Support Services

SVC-ENHWAR1 (/support/support- 1 Year Enhanced Warranty warranty.asp)

SVC-ENHWAR2 (/support/support- 2 Year Enhanced Warranty warranty.asp)

SVC-ENHWAR3 (/support/support- 3 Year Enhanced Warranty warranty.asp)

SVC-ENHWAR4 (/support/support- 4 Year Enhanced Warranty warranty.asp)

SVC-ENHWAR5 (/support/support- 5 Year Enhanced Warranty warranty.asp)

SVC-EXTWAR2 (/support/support- 2 Year Extended Warranty warranty.asp)

SVC-EXTWAR3

(/support/support- 3 Year Extended Warranty warranty.asp)

SVC-EXTWAR4 (/support/support- 4 Year Extended Warranty warranty.asp)

SVC-EXTWAR5 (/support/support- 5 Year Extended Warranty warranty.asp)

SVC-NETENG-HOUR (/support/supportprofessional.asp)

Network technician hour rate for pre-config services, after hours support, etc.

Contact us (/howtobuy/) for availability and pricing. Contact us (/howtobuy/) for availability and pricing.

Related Products	
IPLink™ Model 2603 (/products/product_detail.asp?id=182)	High Speed T1/E1 Router
Backgrounders FiberPlex Capabilities Guide (/backgrounders/FiberPlex_Capabilities_Statement.pdf)	October 6, 2017
Certifications Patton Devices Not Vulnerable to Meltdown and Spectre Side-Channels Attacks (/certifications/Patton- Meltdown-Spectre-Statement.pdf) Declaration of Conformity - 2603, 2621, 2635, 2701A (/certifications/03322D1-001D.pdf)	January 4, 2018 September 26, 2016
Data Sheets OnSite™ 2701A/I Datasheet (/datasheet/2701AI_datasheet.pdf) OnSite™ 2701A/I Datasheet (A4 page size) (/datasheet/2701A1-A4_datasheet.pdf) Patton Product Life Cycle Color Codes (/datasheet/Life-Cycle-Availability-Codes.pdf)	March 23, 2018 March 23, 2018 April 24, 2015
User Manuals & Configuration Guides OnSite 2701A/I E1/T1 Ethernet Bridge (NTU) User Manual (/manuals/OS2701AI-UM.pdf) OnSite Model 2701A/I E1/T1 Ethernet Bridge (NTU) (/manuals/OS2701AI-QS.pdf) BroadSoft Configuration Guide for SmartNode SmartWare (/manuals/BroadSoft_PartnerConfigGuide_Patton_SmartNode.pdf)	February 26, 2017 February 13, 2017 December 2, 2013
White Papers & Success Stories Patton G.703-to-Ethernet Converters Hit Price/Performance Targets for Jinagsu, China (/whitepapers/Reality_Check_Jiangshu_WideArea_over_E1.pdf)	November 13, 2002

Company (/company/)

- > Contact Us (/company/contact-us.asp)
- > About Patton (/company/about.asp)
- > Jobs (/company/careers/)
- > Capabilities (/products/special/services.asp)
- > Quality & Responsibility (/company/environment/)
- > Legal (/legal/)
- News & Events
- > Press Room/Releases (/press/)
- > Training & Events (/training/)
- > Library/Downloads (/resources/)

Partners & Resources (/partners/)

- > Partner Programs (/partners/)
- > Resources (/resources/)
- > Blog (https://blog.patton.com)

Products

(/products/)	<u>Connectivity</u>			
Unified Communications > Line Drivers / Short Range				
> VoIP Gateways (/voip-	Modems (/products/network-			
gateway/#products)	connectivity/#11)			
> VoIP Routers (/voip-	> Fiber Serial DataCom (RS-			
router/#products)	232/422/530/188C)			
> VoIP IADs (/voip-	(/products/network-			
iad/#products)	connectivity/#27)			
> SIP eSBCs (/session-	> Ethernet Over Fiber			
border-	(/products/network-			
controller/#products)	connectivity/#23)			
> VoIP Appliances (/ip-	> Multiplexers & Sharing Devices			
pbx/#products)	(/products/network-			
> SS7 Media Gateways	connectivity/#12)			
(/ss7-	> Fiber Telecom (T1/E1/PRI,			
gateway/#products)	Analog and ISDN)			
Software and Cloud	(/products/network-			
> Virtual SBC (/virtual-	connectivity/#28)			
sbc/#products)	> Pro AV Live and Media			
> Virtual Access Router	Broadcast Fiber Systems			
(/virtual-access-	(/products/network-			
router/#products)	connectivity/#29)			
> VPN Server (/vpn-	> SFP (Small Form Pluggable)			
server/#products)	Modules and Kits			
> IPv6 to IPv4 Network	(/products/network-			

Gateway (/networkconnectivity/#30) gateway/#products) > Fiber Alarming, Notification, > Intelligent Edge **Relay and Control** Orchestration (/products/network-(/intelligent-edgeconnectivity/#24) orchestration/#products)> Other Network Extenders > NFV & SDN (/products/network-(/nfv/#products) connectivity/#13) Network Access > Defense/Security Fiber > Ethernet Extenders Communications (/ethernet-(/products/networkextender/#products) connectivity/#22) > PoE Products > Baluns (/products/networkconnectivity/#3) (/poe/#products) > Surge Protectors & Opto-> xDSL Products (/xdsl/#products) Isolators (/products/network-> Routers connectivity/#15) (/router/#products) > DataTaps, Testers, Adapters, > Dial-Up Access (/dial-Rack Kits (/products/networkconnectivity/#7) up/#products) > Interface Converters Sunset Products (/products/network-(/products/sunsetconnectivity/#10) products.asp) > Fiber Rack and Enclosure Systems (/products/networkconnectivity/#25) > Fiber Repeaters and Wavelength Division Multiplexers (WDM) (/products/networkconnectivity/#26) > Waveguide RF Filters (/products/networkconnectivity/#31)

Support & Services (/support/)

- > Support Home (/support/)
- > Support Portal (/support/#portal)
- > Premium Support (/support/support.asp)
- > Software Upgrades (/support/upgrades/)
- > Warranty Services (/support/support-warranty.asp)
- > Returns & RMAs (/returns/)
- > Manuals (/manuals/)

Special Projects Group (SPG) (/products/special)

- > SPG Home (/products/special/)
- > Services & Capabilities (/products/special/services.asp)
- > Projects (/products/special/projects.asp)
- > Facilities (/products/special/facilities.asp)

Join Our Email List

sue.chu@icomtechinc.com

Subscribe



(https://twitter.com/pattonconnect)

(/news.rss)

(https://www.facebook.com/PattonElectronics) (https://www.youtube.com/user/pattonelectronicsco) (https://www.linkedin.com/companies/patton-electronics)