

QNAP USA office will be closed on Monday, February 17th 2020, in observance of President's Day.



HARDWARE SPECS

SOFTWARE SPECS

PACKAGE CONTENTS

▶ **TS-1263XU-4G**



CPU	AMD G-Series GX-420MC quad-core 2.0 GHz processor
-----	---

CPU Architecture	64-bit x86
------------------	------------

Floating Point Unit	
---------------------	--

[Pre-Sales Online Chat](#)

[NAS Selector](#)

Encryption Engine

✓ (AES-NI)

System Memory

4 GB SO-DIMM DDR3L (1 x 4 GB)

Maximum Memory

16 GB (2 x 8 GB)

Memory Slot

2 x SO-DIMM DDR3L

For dual-DIMM configurations, you must use a pair of identical DDR3L RAM modules.

Flash Memory

512 MB (Dual boot OS protection)

[Pre-Sales Online Chat](#)

[NAS Selector](#)

Drive Bay

12 x 3.5-inch SATA 6Gb/s, 3Gb/s

The system is shipped without HDD.
For the HDD compatibility list, please visit
<https://www.qnap.com/compatibility/>

Drive Compatibility

3.5-inch SATA hard disk drives
2.5-inch SATA hard disk drives
2.5-inch SATA solid state drives

Hot-swappable



M.2 SSD Slot

Optional via a PCIe adapter

SSD Cache Acceleration Support



[Pre-Sales Online Chat](#)

[NAS Selector](#)

Gigabit Ethernet Port (RJ45)

4

Expandable with an optional PCIe adapter

10 Gigabit Ethernet Port

1 x 10GBASE-T (10G/5G/2.5G/1G/100M)

Pre-installed with a QXG-10G1T 10GbE PCIe adapter

Jumbo Frame



PCIe Slot

1
Slot 1: PCIe Gen 2 x4

Pre-installed with a QXG-10G1T 10GbE PCIe adapter

USB 2.0 port

-

[Pre-Sales Online Chat](#)

[NAS Selector](#)

USB 3.0 port	2
--------------	---

USB 3.1 Gen 2 (10Gbps) Port	Optional via a PCIe adapter
-----------------------------	-----------------------------

Form Factor	2U Rackmount
-------------	--------------

LED Indicators	HDD 1-12, Status, LAN, USB, Power
----------------	-----------------------------------

Buttons	Power, Reset
---------	--------------

Dimensions (HxWxD)	3.5 × 18.98 × 21.02 inch
--------------------	--------------------------

[Pre-Sales Online Chat](#)

[NAS Selector](#)

Weight (Net)	35.58 lbs
--------------	-----------

Weight (Gross)	41.84 lbs
----------------	-----------

Operating temperature	0 - 40 °C (32°F - 104°F)
-----------------------	--------------------------

Relative Humidity	5-95% RH non-condensing, wet bulb: 27 °C (80.6 °F)
-------------------	--

Power Supply Unit	250W, Input: 110-240 Vac~, 50-60Hz, 5A
-------------------	--

Power Consumption: HDD Sleep Mode	44.78 W
--------------------------------------	---------

Power Consumption: Operating Mode, Typical 135.02 W

Sound Level 35.7 db(A)

System Warning Buzzer

Note: Use only QNAP memory modules to maintain system performance and stability. For NAS devices with more than one memory slot, use QNAP modules with identical specifications. Warning: Using unsupported modules may degrade performance, cause errors, or prevent the operating system from starting.

* Sound Level Test Environment: Refer to ISO 7779; Maximum HDD loaded; Bystander Position; Average data from 1 meter in front of operating NAS.

Designs and specifications are subject to change without notice.

 Where to Buy

 Download Center

 App Center

 Subscribe

